



DOOR ORDER FORM

PLEASE NOTE: This form MUST be completed before fabrication or your door/s can commence.

CUSTOMER TO COMPLETE

COMPANY NAME: _____

ORDER NUMBER: _____

ORDERED BY: _____

PHONE NUMBER: _____

BRIS ALUMINIUM TO COMPLETE

DATE: _____

JOB #: _____

NOTES: _____

Please tick:

FINISH: Clear Anodise Mill Finish Powder Coated
THICKNESS: 35mm 45mm Narrow 45mm Wide Stile






DOOR #	QTY	HEIGHT	WIDTH	SWING	RAIL HEIGHT from bottom of door to centre of rail	LOCK HEIGHT from bottom of door to centre of handle	LOCK TYPE

OTHER REQUIREMENTS:

PHONE: 07 3299 5227 FAX: 07 3299 5228
 HEAD OFFICE: 4 Judds Court Slacks Creek QLD 4127
 POST: PO Box 862 Springwood QLD 4127
 EMAIL: sales@brisaluminium.com WEB: www.brisaluminium.com
 Bris Aluminium Pty Ltd ABN: 13 088 447 812

LOCK SETS

(please tick your selection)



KABA

K1X

K1Z

K2

K3

K4

LOCKWOOD

L1X

L1Y

L2

L3

L4

LOCK BACKSET 23mm

30mm

60mm


OTHER

PLEASE NOTE: Doors hung on Adjustable Door Frames MUST have a minimum of 30mm backset.

CHOOSE YOUR SWING


(please tick your selection)

1.




OUTSIDE
HINGE LEFT / SWING IN

2.




OUTSIDE
HINGE RIGHT / SWING IN

3.




OUTSIDE
HINGE LEFT / SWING OUT

4.




OUTSIDE
HINGE RIGHT / SWING OUT

5.




OUTSIDE
LEFT HAND ACTIVE SWING IN

6.




OUTSIDE
RIGHT HAND ACTIVE SWING IN

7.



OUTSIDE
LEFT HAND ACTIVE SWING OUT

8.



OUTSIDE
RIGHT HAND ACTIVE SWING OUT



Bris Aluminium Door Ordering Explanations

In order to supply our customers with the correct Aluminium Door, we have designed this Door Order Form to collect all the details necessary for us to supply the correct products.
Below is an explanation of this Door Order Form to assist you in completing the details so we can commence with your order.

PLEASE NOTE: This form **MUST** be completed before fabrication of your door/s can commence.

COVER PAGE

Fill in the required customer information so the order can be placed for the correct company with the correct order number, also your name & contact phone number so if we have any further questions about your door we can contact you directly.

Tick off your preferences of 'FINISH' & 'THICKNESS'. If it is to be 'POWDER COATED' please write the colour next to the selection.

Fill in your door details, number, height, width, swing, etc (for your swing please refer to the 2nd page swing selection). Please note the 'MIDRAIL HEIGHT' & 'LOCK HEIGHT' are measured from the bottom of the door. The 'LOCK TYPE' will assist the fabricators to know which cut-out to do, also if you are supplying your own lock or purchasing one with the door.

'OTHER REQUIREMENTS' at the bottom of the page is for any further details about powder coating colour & lock details, or specific type of door required, eg. Wide Stile, Narrow Stile, or, 200mm Midrail, if required.

Once finished, the sales person will fill out the 'BRIS ALUMINIUM TO COMPLETE' section ensuring all details are taken.

PAGE 2: Lock Set & Swing

To assist you in providing us with the necessary information, you can choose from the details on this page, which lock configuration you require & also the backset of the lock.

Backsets: 23mm suits all stiles, 30mm suits 35mm & 45mm Wide Stile, 60mm suits 45mm Wide Stile only.

Lock sets: Vary depending on the use of the door, here you have a quick easy way to choose & let our team know what you want.

Choose your swing, the outside is always to the bottom of the image.

LOCK EXPLANATIONS

We supply both Lockwood & Kaba lock sets if you are buying through us, both are 100% compatible, Kaba is simply a lower cost option. They come with both a 23mm backset or 30mm backset.

Lock codes beginning with 'K' are Kaba & starting with 'L' are Lockwood.

K1X / L1X Entry Door or Storeroom Door Set: EXTERNAL cylinder + lever INTERNAL lever only

External lever handle is ALWAYS FIXED horizontal. Entry is by key only. Internal operation is always by lever handle.

Kit components:

Mortice Lock Case + Single oval lock cylinder with X cam
External lever on plate with cylinder hole Internal lever on plain plate

K1Z / L1Y Office and Classroom Door Set: EXTERNAL cylinder + lever INTERNAL lever only .

External lever handle is locked or unlocked via the lock cylinder only. Internal operation is always by lever handle.

Kit components:

Mortice Lock Case + Single oval lock cylinder with Z cam (Kaba) , Y cam (Lockwood)
External lever on plate with cylinder hole Internal lever on plain plate

K2 / L2 Glass Door or Security Door Set: EXTERNAL cylinder + lever INTERNAL cylinder + lever

External lever handle and Internal lever handle controlled together by either lock cylinder, which will lock or unlock both handles.

Kit components:

Mortice Lock Case + Double lock cylinders with Z cam keyed alike
External and Internal lever on plate with cylinder hole

K3 / L3 Vestibule Door Set: EXTERNAL cylinder + lever INTERNAL turnknob + lever .

External lever handle controlled by either external lock cylinder or internal turn knob, which lock or unlock external handle only. Internal operation is always by lever handle.

Kit components:

Mortice Lock Case + Single oval lock cylinder with Z cam (Kaba) , W cam (Lockwood) + turn adaptor for lock case
External lever on plate with cylinder hole Internal lever on plate with turnknob

K4 / L4 Passage Door Set: EXTERNAL lever INTERNAL lever NO LOCKING .

External lever handle on blank plate retracts latch. Internal lever handle on blank plate retracts latch.

Kit components:

Mortice Latch Case
External and Internal lever on plain plate

PHONE: 07 3299 5227 FAX: 07 3299 5228
HEAD OFFICE: 4 Judds Court Slacks Creek QLD 4127
POST: PO Box 862 Springwood QLD 4127

EMAIL: sales@brisaluminium.com WEB: www.brisaluminium.com

Bris Aluminium Pty Ltd ABN: 13 088 447 812